Environmental Product Declaration





In accordance with ISO 14025:2006 and EN 15804:2012+A2:2019/AC:2021 for:

NOVATOP ELEMENT

from

AGROP NOVA a.s.

NOVATOP MINING

Programme: The International EPD® System, www.environdec.com


Programme operator: EPD International AB

EPD registration number: S-P-11849

Publication date: 2023-12-14

Valid until: 2028-12-14

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www.environdec.com





General information

Programme information

Programme: The International EPD® System

Address: EPD International AB

Box 210 60

SE-100 31 Stockholm

Sweden

Website:www.environdec.comE-mail:info@environdec.com

Accountabilities for PCR, LCA and independent, third-party verification

Product Category Rules (PCR)

CEN standard EN 158041+A2 serves as the Core Product Category Rules (PCR)

Product Category Rules (PCR): PCR 2019:14 Construction products (EN 15804:A2) (1.3.1)

PCR review was conducted by: IVL Swedish Environmental Research Institute Secretariat of the International EPD® System

Life Cycle Assessment (LCA)

LCA accountability: Mgr. Barbora Vlasata, UCEEB CTU in Prague www.uceeb.cz



Third-party verification

Independent third-party verification of the declaration and data, according to ISO 14025:2006, via: EPD verification by accredited certification body

Third-party verification: TZÚS Praha, s.p. is an approved certification body accountable for the thirdparty verification

The certification body is accredited by: Czech Accreditation Institute

Procedure for follow-up of data during EPD validity involves third party verifier:

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but registered in different EPD programmes, or not compliant with EN 15804, may not be comparable. For two EPDs to be comparable, they must be based on the same PCR (including the same version number) or be based on fully-aligned PCRs or versions of PCRs; cover products with identical functions, technical performances and use (e.g. identical declared/functional units); have equivalent system boundaries and descriptions of data; apply equivalent data quality requirements, methods of data collection, and allocation methods; apply identical cut-off rules and impact assessment methods (including the same version of characterisation factors); have equivalent content declarations; and be valid at the time of comparison. For further information aboutcomparability, see EN 15804 and ISO 14025.





Company information

Owner of the EPD: Agrop Nova a.s.,

Contact: Jan Sušeň Sales manager Jan.susen@agrop.cz

www.agrop.cz Description of the organisation:

AGROP NOVA a.s. was established in 2001. Today it is one of the largest and most modern producers of large multilayer boards in Europe. The company's core product range is NOVATOP SWP multilayer boards and NOVATOP SYSTEM - a comprehensive and in many ways unique building system based on cross-laminated timber (CLT).

Product-related or management system-related certifications:

ISO 9001:2015

Name and location of production site(s):

Agrop Nova a.s., Lesnická 49, 798 03 Plumlov, the Czech Republic (headquarters and drying of wood) Agrop Nova a.s., Ptenský Dvorek 99, 798 43 Ptení, the Czech Republic (plant)

Product information

Product name and identification:

NOVATOP ELEMENT

Product description:

NOVATOP ELEMENT - are large ribbed components made of multi-layered solid spruce boards (SWP), it is a structural element for wooden buildings. The construction of the element consists of a load-bearing bottom plate, the thickness of which depends on the required fire resistance of the structure. The transverse and longitudinal ribs are glued to it, the height of which depends on the required load-bearing capacity of the element. The whole structure is enclosed by the top plate. The connection of the plates and ribs is made by gluing and cold pressing. The cavities can be fitted with thermal and acoustic insulation as required.

UN CPC code:

314 Boards and panels

Geographical scope:

Europe, Global

For modules A1-A3, A4 and C1-C4 +D a European and Global scale has been considered due to the availability of data for waste scenarios.





LCA information

Functional unit / declared unit:

1 m³ of solid wood panel – mass 490 kg

Time representativeness:

< 10 years for background data;

< 2 years for manufacturer's data

Database(s) and LCA software used:


Ecolnvent database v. 3.8; SimaPro 9.4.0.2 software

Description of system boundaries:

Cradle to gate with options, modules C1-C4, module D and with optional modules (A1-A3+C+D) and additional modules). The additional modules may be one or more selected from A4-A5 and/or B1-B7

System diagram

ELEMENT



More information:

The electricity used in the production processes of module A3 is purchased from an electricity supplier and is supported by a Guarantee of Originit is electricity from renewable energy sources. The share of renewable energy sources was modelled based on the Czech Republic's energy mix current in the reference period. Its climate impact is $0,255 \text{ kg CO}_2$ eq./kWh (using the GWP-GHG indicator). More info about production see www.novatop-system.com





Modules declared, geographical scope, share of specific data (in GWP-GHG results) and data variation (in GWP-GHG results):

	Р	roduct stag	ge	Constru process		5								End of life stage					
Module	Raw material supply	Transport A2	Manufacturing	Transport	Construction installation	es n	Maintenance	Repair Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recyclin- gpotential		
		. AZ				- 1	02	- 55			- 50	υ,							
Modules declared	Х	Х	Х	X									Х	Х	Х	×	Х		
Geography	Global	Global	Global	Global									Global	Global	Global	Global	Global		
Specific data used		>90%			-	-	-	-	-	-	-	-	-	-	-	-	-		
Variation – products		0%			-	-	-	-	-	-	-	-	-	-	-	-	-		
Variation – sites		0%			-	-	-	-	-	-	-	-	-	-	-	-	-		

Content information

Product components	Weight, kg	Post-consumer material, weight-%	Biogenic material, weight-% and kg C/kg
Sawnwood	463	0	100 %/206
Additional inputs – glue and sealant	24	0	0
Additional inputs – fasteners wood	0,8	0	100 %
Additional inputs – fasteners iron	0,1	0	0
TOTAL	490	0	95 %/206
Packaging materials	Weight, kg	Weight-% (versus the product)	Weight biogenic carbon, kg C/kg
Packaging film LDPE	2	0	0
TOTAL	2	0	0





Results of the environmental performance indicators

Mandatory impact category indicators according to EN 15804

				R	esults p	er fun	ctional	or dec	lared u	ınit						
Indicator	Unit	A1-A3	A4	A5	B1	B2	В3	В4	B5	В6	В7	C1	C2	С3	C4	D
GWP-fossil	kg CO₂eq.	1,96E+02	5,14E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,26E-01	4,07E+00	3,73E-01	-1,34E+01	-9,12E+00
GWP-biogenic	kg CO₂eq.	-1,66E+03	1,22E-01	ND	ND	ND	ND	ND	ND	ND	ND	4,12E-04	9,74E-03	2,91E-04	2,14E+02	-9,35E-01
GWP-Iuluc	kg CO₂eq.	1,52E+00	1,75E-02	ND	ND	ND	ND	ND	ND	ND	ND	4,15E-05	1,37E-03	2,94E-05	-1,27E-02	-8,17E-03
GWP-total	kg CO₂eq.	-1,46E+03	5,15E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,27E-01	4,08E+00	3,73E-01	2,01E+02	-1,01E+01
ODP	kg CFC 11 eq.	1,11E+00	2,24E-01	ND	ND	ND	ND	ND	ND	ND	ND	3,27E-03	1,63E-02	2,48E-03	-7,00E-02	-5,07E-02
AP	mol H+eq.	3,31E-05	1,16E-05	ND	ND	ND	ND	ND	ND	ND	ND	1,13E-07	9,23E-07	7,97E-08	-2,23E-06	-1,55E-06
EP-freshwater	kg P eq.	6,76E-02	3,43E-03	ND	ND	ND	ND	ND	ND	ND	ND	1,58E-05	2,73E-04	1,12E-05	-2,72E-03	-3,32E-03
EP-marine	kg N eq.	3,37E-01	6,74E-02	ND	ND	ND	ND	ND	ND	ND	ND	1,36E-03	4,99E-03	1,05E-03	-1,76E-02	-1,56E-02
EP-terrestrial	mol N eq	3,75E+00	7,37E-01	ND	ND	ND	ND	ND	ND	ND	ND	1,49E-02	5,44E-02	1,15E-02	-2,05E-01	-1,64E-01
POCP	kg NMVOC eq.	1,13E+00	2,22E-01	ND	ND	ND	ND	ND	ND	ND	ND	4,18E-03	1,66E-02	3,24E-03	-6,12E-02	-4,66E-02
ADPminerals&metals*	kg Sb eq.	1,38E-03	1,84E-04	ND	ND	ND	ND	ND	ND	ND	ND	2,11E-07	1,46E-05	1,49E-07	-4,23E-05	-2,94E-05
ADP-fossil*	MJ	2,90E+03	7,75E+02	ND	ND	ND	ND	ND	ND	ND	ND	7,17E+00	6,15E+01	5,08E+00	-2,04E+02	-1,55E+02
WDP*	m³	3,45E+01	2,19E+00	ND	ND	ND	ND	ND	ND	ND	ND	1,04E-02	1,75E-01	7,34E-03	-2,57E+00	-3,97E-01

Acronyms

GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADPminerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

Additional mandatory and voluntary impact category indicators

				R	esults p	oer fun	ctional	or dec	lared u	ınit						
Indicator	Unit	A1-A3	A4	A5	В1	B2	В3	В4	B5	В6	В7	C1	C2	С3	C4	D
GWP-GHG ¹	kg CO₂ eq.	1,97E+02	5,14E+01	ND	ND	ND	ND	ND	ND	ND	ND	5,27E-01	4,07E+00	3,73E-01	-1,34E+01	-9,13E+00
PM	Disease incidence	1,46E-05	3,53E-06	ND	ND	ND	ND	ND	ND	ND	ND	5,62E-08	2,82E-07	4,71E-08	-9,76E-07	-6,06E-07
IR	kBq U235 eq.	2,18E+01	4,04E+00	ND	ND	ND	ND	ND	ND	ND	ND	3,27E-02	3,21E-01	2,32E-02	-1,59E+00	-2,09E+00
ETP-fw	CTUe	4,75E+03	5,91E+02	ND	ND	ND	ND	ND	ND	ND	ND	4,10E+00	4,70E+01	2,90E+00	-2,00E+02	-1,09E+02
HTP-c	CTUh	3,18E-07	2,13E-08	ND	ND	ND	ND	ND	ND	ND	ND	7,08E-10	1,68E-09	6,04E-10	-4,94E-09	-6,76E-09
HTP-nc	CTUh	4,62E-06	5,98E-07	ND	ND	ND	ND	ND	ND	ND	ND	3,66E-09	4,77E-08	2,89E-09	1,18E-07	-1,13E-07
SQP	dimensi- onless	1,45E+05	5,29E+02	ND	ND	ND	ND	ND	ND	ND	ND	9,31E-01	4,23E+01	6,59E-01	-1,51E+02	-9,24E+01



Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

¹ This indicator accounts for all greenhouse gases except biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. As such, the indicator is identical to GWP-total except that the CF for biogenic CO₂ is set to zero.



Resource use indicators

					Result	s per fur	nctional	or decla	red uni	t						
Indicator	Unit	A1-A3	A4	A5	В1	B2	В3	B4	B5	В6	В7	C1	C2	С3	C4	D
PERE	MJ	2,48E+02	7,56E+00	ND	ND	ND	ND	ND	ND	ND	ND	2,80E-02	6,03E-01	1,99E-02	-8,17E+00	-9,02E+00
PERM	MJ	2,01E+04	2,83E+00	ND	ND	ND	ND	ND	ND	ND	ND	9,13E-03	2,25E-01	6,46E-03	-1,88E+00	-1,89E+00
PERT	MJ	2,04E+04	1,04E+01	ND	ND	ND	ND	ND	ND	ND	ND	3,72E-02	8,28E-01	2,63E-02	-1,01E+01	-1,09E+01
PENRE	MJ	2,90E+03	7,75E+02	ND	ND	ND	ND	ND	ND	ND	ND	7,17E+00	6,15E+01	5,08E+00	-2,04E+02	-1,55E+02
PENRM	MJ	2,01E+04	2,83E+00	ND	ND	ND	ND	ND	ND	ND	ND	9,13E-03	2,25E-01	6,46E-03	-1,88E+00	-1,89E+00
PENRT	MJ	2,30E+04	7,78E+02	ND	ND	ND	ND	ND	ND	ND	ND	7,18E+00	6,17E+01	5,09E+00	-2,06E+02	-1,57E+02
SM	kg	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
RSF	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
NRSF	MJ	0	0	ND	ND	ND	ND	ND	ND	ND	ND	0	0	0	0	0
FW	m³	3,45E+01	2,19E+00	ND	ND	ND	ND	ND	ND	ND	ND	1,04E-02	1,75E-01	7,34E-03	-2,57E+00	-3,97E-01

Acronyms

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water

Waste indicators

	Results per functional or declared unit															
Indicator	Unit	A1-A3	A4	A5	В1	B2	В3	B4	B5	В6	В7	C1	C2	С3	C4	D
Hazardous waste disposed	kg	9,92E-03	2,01E-03	ND	1,93E-05	1,60E-04	1,37E-05	-3,88E-04	-2,68E-04							
Non-hazardous waste disposed	kg	1,03E+02	3,68E+01	ND	8,82E-03	2,95E+00	6,25E-03	-6,95E+00	-6,16E+00							
Radioactive waste disposed	kg	1,63E-02	5,31E-03	ND	4,99E-05	4,21E-04	3,54E-05	-1,21E-03	-1,07E-03							

Output flow indicators

	Results per functional or declared unit															
Indicator	Unit	A1-A3	A4	A5	В1	В2	В3	В4	B5	В6	В7	C1	C2	С3	C4	D
Components for re-use	kg	0	0	ND	0	0	0	0	0							
Material for recycling	kg	0	0	ND	0	0	0	3,43E+02	0							
Materials for energy recovery	kg	0	0	ND	0	0	0	0	0							
Exported energy, electricity	MJ	0	0	ND	0	0	0	0	0							
Exported energy, thermal	MJ	0	0	ND	0	0	0	0	0							





References

ISO 14020:2000 Environmental labels and declarations — General principles, 2000-09

ISO 14025: EN ISO 14025:2006-11: Environmental labels and declarations - Type III environmental declarations — Principles and procedures

ISO, 14040:2006 Environmental management — Life cycle assessment — Principles and framework, 2006-07

ISO 14044:2006 Environmental management — Life cycle assessment — Requirements and guidelines, 2006-07

EN 15804+A2:2019 European Committee for Standardization: Sustainability of construction works

- Environmental product declarations - Core rules for the product category of construction products, 2019

General Programme Instructions of The International EPD® System. Version 4.0, 2021-03-29

Product Category Rules (PCR) document for Construction Products (PCR 2019:14 VERSION 1.3.1, 2022-11-01)

Ecoinvent: Ecoinvent Centre, www.Eco-invent.org version 3.8

SimaPro software 9.0.4.2, Pré Consultants



